



Torus

Profile	Length	Thickness	Width	Finish
SAM09	2.1	18	57	Primed
SAM09	2.1	18	69	Primed
SAM09	4.2	18	69	Primed
SAM09	4.2	18	119	Primed
SAM09	4.2	18	144	Primed
SAM09	4.2	18	169	Primed
SAM09	5.49	18	69	Primed
SAM09	5.49	18	119	Primed
SAM09	5.49	18	144	Primed
SAM09	5.49	18	169	Primed



Ogee


Profile	Length	Thickness	Width	Finish
SAM93	2.1	18	57	Primed
SAM93	2.1	18	69	Primed
SAM93	4.2	18	69	Primed
SAM93	4.2	18	119	Primed
SAM93	4.2	18	144	Primed
SAM93	4.2	18	169	Primed
SAM93	5.49	14.5	69	Primed
SAM93	5.49	14.5	94	Primed
SAM93	5.49	14.5	144	Primed
SAM93	5.49	18	57	Primed



SAM93	5.49	18	69	Primed
SAM93	5.49	18	94	Primed
SAM93	5.49	18	119	Primed
SAM93	5.49	18	144	Primed
SAM93	5.49	18	169	Primed

Ogee

Profile	Length	Thickness	Width	Finish
SAM15	4.2	14.5	69	Primed
SAM15	4.2	14.5	94	Primed
SAM15	4.2	14.5	119	Primed



Chamfer and Round (32mm chamfer)

Profile	Length	Thickness	Width	Finish
SAM22	2.1	14.5	44	Primed
SAM22	4.2	14.5	44	Primed
SAM22	4.2	14.5	69	Primed
SAM22	4.2	14.5	94	Primed
SAM22	5.49	14.5	44	Primed
SAM22	5.49	14.5	69	Primed
SAM22	5.49	14.5	94	Primed
SAM22	5.49	14.5	144	Primed
SAM22	5.49	18	44	Primed
SAM22	5.49	18	69	Primed
SAM22	5.49	18	94	Primed
SAM22	5.49	18	119	Primed
SAM22	5.49	18	144	Primed



Chamfer and Round (38mm chamfer)

Profile	Length	Thickness	Width	Finish
SAM26	5.49	18	69	Primed



Pencil Round One Edge

Profile	Length	Thickness	Width	Finish
SAM23	2.1	14.5	44	Primed
SAM23	4.2	14.5	44	Primed
SAM23	4.2	14.5	69	Primed
SAM23	4.2	14.5	94	Primed
SAM23	4.2	18	69	Primed
SAM23	4.2	18	94	Primed
SAM23	4.2	18	144	Primed
SAM23	5.49	12	94	Primed
SAM23	5.49	14.5	44	Primed
SAM23	5.49	14.5	69	Primed
SAM23	5.49	14.5	94	Primed
SAM23	5.49	18	69	Primed
SAM23	5.49	18	94	Primed
SAM23	5.49	18	119	Primed



Pencil Round Two Edge

Profile	Length	Thickness	Width	Finish
SAM24	4.2	14.5	69	Primed
SAM24	5.49	12	69	Primed
SAM24	5.49	14.5	69	Primed
SAM24	5.49	18	57	Primed



Ovolo

Profile	Length	Thickness	Width	Finish
SAM27	5.49	14.5	94	Primed



Hockey Stick

Profile	Length	Thickness	Width	Finish
SAM502	5.49	18	32	Primed



Bullnosed

Profile	Length	Thickness	Width	Finish
SAM29	2.1	14.5	44	Primed
SAM29	4.2	14.5	44	Primed
SAM29	4.2	14.5	94	Primed



Dual Purpose (Ogee / Torus)

Profile	Length	Thickness	Width	Finish
SAM2156	4.2	18	119	Primed
SAM2156	4.2	18	144	Primed
SAM2156	4.2	18	169	Primed
SAM2156	4.2	18	219	Primed



Square Edge

Profile	Length	Thickness	Width	Finish
SAM01	5.49	12	44	Primed
SAM01	5.49	12	100	Primed



Windowboard

Profile	Length	Thickness	Width	Finish
SAM50	5.49	18	169	Primed
SAM50	5.49	18	194	Primed



Windowboard

Profile	Length	Thickness	Width	Finish
SAM52	3.66	25	194	Primed
SAM52	3.66	25	219	Primed
SAM52	3.66	25	244	Primed
SAM52	3.66	25	294	Primed
SAM52	5.49	25	194	Primed
SAM52	5.49	25	219	Primed
SAM52	5.49	25	244	Primed
SAM52	5.49	25	294	Primed



Square Edge (4mm radius)

Profile	Length	Thickness	Width	Finish
SAM1447	5.49	12	94	European White Oak (FSC)
SAM1447	5.49	14.5	32	European White Oak (FSC)



Chamfer and Round

Profile	Length	Thickness	Width	Finish
SAM1451	4.2	18	69	European White Oak (FSC)
SAM1451	4.2	18	94	European White Oak (FSC)
SAM1451	4.2	18	119	European White Oak (FSC)
SAM1451	4.2	18	144	European White Oak (FSC)



Torus

Profile	Length	Thickness	Width	Finish
SAM1440	4.2	18	69	European White Oak (FSC)
SAM1440	4.2	18	94	European White Oak (FSC)
SAM1440	4.2	18	119	European White Oak (FSC)
SAM1440	4.2	18	144	European White Oak (FSC)



Ogee

Profile	Length	Thickness	Width	Finish
SAM1441	4.2	18	69	European White Oak (FSC)
SAM1441	4.2	18	94	European White Oak (FSC)
SAM1441	4.2	18	119	European White Oak (FSC)
SAM1441	4.2	18	144	European White Oak (FSC)



Door Lining / Stop

Profile SAM04	Length 5.49	Thickness 12	Width 32	Finish Primed
-------------------------	-----------------------	------------------------	--------------------	-------------------------

